



## Suma Oven & Grill Cleaner

Version Number: 1

Preparation date: 2014-09-12

### 1. IDENTIFICATION

**Product name:** Suma Oven & Grill Cleaner  
**Product Code:** 948049  
**SDS #:** MS0800511  
**Recommended use:**

- Industrial/Institutional
- Oven and Grill Cleaner
- This product is intended to be used neat.

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com	Canadian Headquarters Diversey, Inc. - Canada 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131
--	---

**Emergency telephone number:** 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion/irritation	Category 1A
Serious eye damage/eye irritation	Category 1
Metal Corrosion:	Category 1



**Signal Word:** Danger

#### Precautionary Statements

##### CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Keep only in original container. Do not breathe spray. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, long chemical-resistant gloves and protective footwear when spraying and wiping. Do not spray towards face. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations.

**Health hazards not otherwise classified (HHNOC)** - Not applicable

**Physical hazards not otherwise classified (PHNOC)** - Not applicable

Suma Oven &amp; Grill Cleaner

1 of 5



**Classification for the diluted product @ RTU**

This product is intended to be used neat.

**Precautionary Statements****3. COMPOSITION/INFORMATION ON INGREDIENTS****Classified Ingredients**

Ingredient(s)	CAS #	Weight %
Sodium hydroxide	1310-73-2	5 - 10%
Diethylene glycol butyl ether	112-34-5	1% - < 3%
Sodium gluconate	527-07-1	1% - < 3%

\*Exact percentages are being withheld as trade secret information

**4. FIRST AID MEASURES****Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed:** Not applicable.

**Aggravated Medical Conditions:** Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

**Diluted Product:**

This product is intended to be used neat.

**Eyes:** See undiluted product information above.

**Skin:** See undiluted product information above.

**Inhalation:** See undiluted product information above.

**Ingestion:** See undiluted product information above.

**5. FIRE-FIGHTING MEASURES**

**Specific methods:**

No special methods required

**Suitable extinguishing media:**

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:**

Not applicable.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:**

Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions**

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

**and clean-up methods:**

**7. HANDLING AND STORAGE**

**Handling:** ALWAYS WEAR LONG CHEMICAL-RESISTANT GLOVES, CHEMICAL-SPLASH GOGGLES AND PROTECTIVE FOOTWEAR WHEN SPRAYING AND WIPING. Do not spray toward face. Wash hands and arms after use. Do not spray on or let spray contact pilot light, electrical connections, switches, light bulbs, heating elements, receptacles, or thermostats. Spray may cause electric short. Do not let product contact floor coverings, linoleum, aluminum, copper, chrome, painted surfaces or plastics. Do not use on continuous or self-cleaning ovens. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling. Mix only with water. Do not mix with any other product or chemical. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:**

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

**Aerosol Level (if applicable) :** Not applicable

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Exposure Guidelines:**

Ingredient(s)	CAS #	ACGIH	OSHA
Sodium hydroxide	1310-73-2	2 mg/m <sup>3</sup> (Ceiling)	2 mg/m <sup>3</sup> (TWA)
Diethylene glycol butyl ether	112-34-5	10 ppm (TWA)	-
Sodium gluconate	527-07-1	-	-

**Undiluted Product:**

**Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

**Personal Protective Equipment**

- Eye protection:** Chemical-splash goggles.
- Hand protection:** Long chemical-resistant gloves.
- Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
- Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
- Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

**Diluted Product:**

This product is intended to be used neat.

**Personal Protective Equipment**

- Eye protection:** Chemical-splash goggles.
- Hand protection:** Long chemical-resistant gloves.
- Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
- Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
- Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES:**

- |  |  |
|--|--|
| <b>Physical State:</b> Liquid  | <b>Color:</b> Clear Tan  |
| <b>Evaporation Rate:</b> No information available                        | <b>Odor:</b> Glycol Ether  |
| <b>Odor threshold:</b> No information available.                         | <b>Boiling point/range:</b> Not determined                               |
| <b>Melting point/range:</b> Not determined                               | <b>Decomposition temperature:</b> Not determined                         |
| <b>Autoignition temperature:</b> No information available                | <b>Solubility:</b> Completely Soluble                                    |
| <b>Solubility in other solvents:</b> No information available            | <b>Relative Density (relative to water):</b> 1.074                       |
| <b>Density:</b> 8.96 lbs/gal 1.074 Kg/L                                  | <b>Vapor density:</b> No information available                           |
| <b>Bulk density:</b> No information available                            | <b>Vapor pressure:</b> No information available.                         |
| <b>Flash point:</b> > 200 °F > 93.3 °C                                   | <b>Partition coefficient (n-octanol/water):</b> No information available |
| <b>Dilution Flash Point:</b> > 200 °F > 93.3 °C                          | <b>Viscosity:</b> No information available                               |
| <b>Elemental Phosphorus:</b> 0.00 % by wt.                               | <b>VOC:</b> 0.07 % *   |
| <b>pH:</b> 12.57   | <b>VOC % by wt. at use dilution</b> 0.07 % *                             |
| <b>Dilution pH:</b> 12.57 @ RTU  | <b>Flammability (Solid or Gas):</b> Not applicable                       |
| <b>Metal Corrosion:</b> Not determined                                   |  |
| <b>Explosion limits:</b> - upper: Not determined - lower: Not determined |  |

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

**10. STABILITY AND REACTIVITY**

**Reactivity:** Not Applicable  
**Stability:** The product is stable  
**Hazardous decomposition products:** None reasonably foreseeable.  
**Materials to avoid:** None known.  
**Conditions to avoid:** No information available.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).  
**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

### Numerical measures of toxicity

ATE - Oral (mg/kg): >5000

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products:** This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Contaminated Packaging:** Do not re-use empty containers.

**RCRA Hazard Class (undiluted product):** D002 Corrosive Waste

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Please refer to the Diversey HazMat Library, only available through Internet Explorer, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

**DOT (Ground) Bill of Lading Description:** LTD. QTY.

**IMDG (Ocean) Bill of Lading Description:** UN1824, SODIUM HYDROXIDE SOLUTION, 8, II, LTD. QTY.

## 15. REGULATORY INFORMATION

### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

### U.S. Regulations

**California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65.

**RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Sodium hydroxide	1310-73-2	X	X	X	X
Diethylene glycol butyl ether	112-34-5	-	X	-	-
Sodium gluconate	527-07-1	-	-	-	-
Alkyl Glucoside	68515-73-1	-	-	-	-

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	5 - 10%	1000		
Diethylene glycol butyl ether	112-34-5	1% - < 3%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol butyl ether	X		

**SARA 311/312 Hazard Categories**

**Immediate:** X  
**Delayed:** -  
**Fire:** -  
**Reactivity:** -  
**Sudden Release of Pressure:** -

**Canada**

Ingredient(s)	CAS #	NPRI
Diethylene glycol butyl ether	112-34-5	X

**16. OTHER INFORMATION****NFPA**

**Health** 3  
**Flammability** 0  
**Instability** 0

**Version Number:** 1  
**Preparation date:** 2014-09-12

**Reason for revision:** Not applicable  
**Prepared by:** NAPRAC  
**Additional advice:** • Does not contain an added fragrance

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*