

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : O2 SAVOR BY TIMEMIST REFILL 6/CS

Material number : 00000000001047428

Manufacturer or supplier's details

Company : Zep Inc.

Address : 1310 Seaboard Industrial Blvd., NW
Atlanta, GA 30318

Telephone : 404-352-1680

Emergency telephone numbers
For SDS Information : Compliance Services 1-877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded

For a Transportation Emergency : CHEMTREC: 800-424-9300 - All Calls Recorded.
In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION
Emergency Overview

Appearance	liquid
Colour	light yellow
Odour	like fruit

GHS Classification

 Flammable liquids : Category 3
 Acute toxicity (Oral) : Category 4
 Skin irritation : Category 2
 Eye irritation : Category 2A
 Skin sensitisation : Category 1

GHS Label element

Hazard pictograms :



Signal word : Danger

 Hazard statements : H226 Flammable liquid and vapour.
 H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H373 May cause damage to organs through prolonged or repeated exposure.
Precautionary statements : **Prevention:**

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

Potential Health Effects
Carcinogenicity:

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
allyl 3-cyclohexylpropionate	2705-87-5	>= 1 - < 5
allyl heptanoate	142-19-8	>= 10 - < 20
hexyl acetate	142-92-7	>= 10 - < 20
(R)-p-mentha-1,8-diene	5989-27-5	>= 5 - < 10
allyl (3-methylbutoxy)acetate	67634-00-8	>= 5 - < 10
ethyl 2,3-epoxy-3-phenylbutyrate	77-83-8	>= 1 - < 5
ethyl butyrate	105-54-4	>= 1 - < 5
allyl hexanoate	123-68-2	>= 1 - < 5
coumarin	91-64-5	>= 0.1 - < 1
ethyl acetoacetate	141-97-9	>= 25 - <= 50
ethyl enantate	106-30-9	>= 5 - <= 10
1-phenylethyl acetate	93-92-5	>= 1 - <= 5
nonan-4-olide	104-61-0	>= 1 - <= 5

SECTION 4. FIRST AID MEASURES

- General advice : Get medical attention immediately if symptoms occur.
- If inhaled : Move to fresh air in case of accidental inhalation of vapours.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
If eye irritation persists, consult a specialist.
- If swallowed : If symptoms persist, call a physician or Poison Control Centre immediately.
Rinse mouth.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Carbon dioxide (CO₂)
Water spray
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Smoke
- Specific extinguishing : Use extinguishing measures that are appropriate to local

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

methods	circumstances and the surrounding environment.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Keep away from fire, sparks and heated surfaces. Take precautionary measures against static discharges. Use only with adequate ventilation. Wear personal protective equipment. Avoid contact with skin and eyes.
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place. Keep away from sources of ignition - No smoking.
Materials to avoid	: Keep away from oxidising agents and strongly acid or alkaline materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
------------------------	---

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

Hand protection	
Material	: Protective gloves
Eye protection	: Tightly fitting safety goggles
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: light yellow
Odour	: like fruit
Odour Threshold	: no data available
pH	: no data available
Melting point/freezing point	: no data available
Boiling point	: no data available
Flash point	: 56 °C
Evaporation rate	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 0.00934 hPa (20 °C)
Relative vapour density	: no data available
Relative density	: no data available
Density	: no data available
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: practically insoluble
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

Viscosity

Viscosity, kinematic : no data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Vapours may form explosive mixture with air.
No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong acids and oxidizing agents
Strong bases

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**Acute oral toxicity : Acute toxicity estimate : 497.13 mg/kg
Method: Calculation methodAcute dermal toxicity : Acute toxicity estimate : 776.47 mg/kg
Method: Calculation method**Components:****allyl 3-cyclohexylpropionate:**

Acute oral toxicity : LD50 Oral rat: 585 mg/kg

hexyl acetate:

Acute oral toxicity : LD50 Oral rat: 36,230 mg/kg

Acute dermal toxicity : LD50 Dermal rabbit: > 5,000 mg/kg

(R)-p-mentha-1,8-diene:

Acute oral toxicity : LD50 Oral rat: 4,400 mg/kg

Acute dermal toxicity : LD50 Dermal rabbit: > 5,000 mg/kg

ethyl 2,3-epoxy-3-phenylbutyrate:

Acute oral toxicity : LD50 Oral rat: 5,470 mg/kg

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

coumarin:

Acute oral toxicity : LD50 Oral rat: 293 mg/kg

1-phenylethyl acetate:

Acute oral toxicity : LD50 Oral rat: > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal rabbit: > 5,000 mg/kg

Skin corrosion/irritation**Product:**

Remarks: Irritating to skin.

Serious eye damage/eye irritation**Product:**

Remarks: Irritating to eyes.

Respiratory or skin sensitisation**Product:**

Remarks: Causes sensitisation.

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

allyl 3-cyclohexylpropionate:**allyl heptanoate:****hexyl acetate:****(R)-p-mentha-1,8-diene:****allyl (3-methylbutoxy)acetate:****ethyl 2,3-epoxy-3-phenylbutyrate:****ethyl butyrate:****allyl hexanoate:****coumarin:****ethyl acetoacetate:****ethyl enantate:****1-phenylethyl acetate:****nonan-4-olide:****STOT - single exposure**

no data available

STOT - repeated exposure

no data available

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

Aspiration toxicity

no data available

Further information**Product:**

Remarks: no data available

Remarks: Solvents may degrease the skin.

Components:**nonan-4-olide:**

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

no data available

Persistence and degradability

no data available

Bioaccumulative potential**Product:**

Partition coefficient: n-octanol/water : Remarks: no data available

Components:**hexyl acetate :**

Partition coefficient: n-octanol/water : log Pow: 2.8

nonan-4-olide :

Partition coefficient: n-octanol/water : Remarks: no data available

Mobility in soil

no data available

Other adverse effects

no data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological : An environmental hazard cannot be excluded in the

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

information

event of unprofessional handling or disposal., Toxic to aquatic life., Harmful to aquatic life with long lasting effects.

Components:**nonan-4-olide :**

Additional ecological information : no data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):
UN1169, EXTRACTS, AROMATIC, LIQUID, 3, III

Transportation Regulation: IATA (Cargo Air):
UN1169, Extracts, aromatic, liquid, 3, III

Transportation Regulation: IATA (Passenger Air):
UN1169, Extracts, aromatic, liquid, 3, III

Transportation Regulation: TDG (Canada):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard
Chronic Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	On the inventory, or in compliance with the inventory
AICS	On the inventory, or in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECl (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

O2 SAVOR BY TIMEMIST REFILL 6/CS


Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

Further information

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

OSHA GHS Label Information:

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Flammable liquid and vapour. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection.

Response: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	10
Revision Date:	05/14/2015
Print Date:	06/01/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

O2 SAVOR BY TIMEMIST REFILL 6/CS

Version 1.0

Revision Date 05/14/2015

Print Date 06/01/2015

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.